Contents

List of Figures Notes on Contributors		vii ix
	roduction рк S. Damico, Nicole Müller, and Martin J. Ball	1
Paı	t I Foundations	5
1	Labeling as a Sociocultural Process in Communicative Disorders JACK S. DAMICO, NICOLE MÜLLER, AND MARTIN J. BALL	7
2	Diversity Considerations in Speech and Language Disorders: A Focus on Training Elena Babatsouli	33
3	Hearing Loss and Cochlear Implants David Jackson Morris and Daan van de Velde	53
4	Intelligibility Impairment Katherine C. Hustad and Stephanie A. Borrie	81
5	Genetic Syndromes and Communication Disorders VESNA STOJANOVIK	95
6	Principles of Assessment and Intervention Bonnie Brinton, Martin Fujiki, and Robert Brinton Fujiki	110
Pai	t II Language Disorders	129
7	Autism Spectrum Disorders Patricia A. Prelock	131
8	Language Acquisition and Language Delay Paul Fletcher	152
9	Developmental Language Disorder Sandra L. Gillam, Sarai Holbrook, and Alan G. Kamhi	171
10	Pragmatic Impairment Louise Симміngs	192
11	Learning Disabilities Christine Brennan	209

12	Literacy and Literacy Impairments	237
13	Holly Damico, Jack S. Damico, and Ryan Nelson Language and Literacy in the Context of Early Life Adversity Pamela Snow, Suze Leitão, and Natalie Kippin	266
14	Aphasia Chris Code	286
Par	t III Speech Disorders	311
15	Children with Speech Sound Disorders Susan Rvachew	313
16	Dysarthria	334
17	Ingo Hertrich, Hermann Ackermann, and Wolfram Ziegler Apraxia of Speech	368
18	ADAM JACKS AND KATARINA L. HALEY Augmentative and Alternative Communication: An Introduction KATHRYN D. R. DRAGER, ERINN H. FINKE, AND ELIZABETH C. SERPENTINE	391
19	Fluency and Fluency Disorders John A. Tetnowski, Kathleen Scaler Scott, and Brittany Falcon Rutland	414
20	Describing, Assessing, and Treating Voice Disorders RICHARD J. MORRIS AND ARCHIE B. HARMON	445
21 22	Speech Disorders Related to Cleft Palate and Velopharyngeal Dysfunction Debbie Sell, Valerie Pereira, Yvonne Wren, and Jane Russell Speech Disorders Related to Head and Neck Cancer:	468
	Laryngectomy, Glossectomy, and Velopharyngeal and Maxillofacial Defects TIM BRESSMANN	495
Par	t IV Cognitive and Intellectual Disorders	529
23	ADHD and Communication Disorders Carol Westby and Silvana M. R. Watson	531
24	Communication Deficits Associated with Right Hemisphere Brain Damage	571
25	Margaret Lehman Blake Traumatic Brain Injury Karen Lê and Jennifer Mozeiko	590
26	Karen le and jennifer Mozeiko Dementia Nicole Müller and Zaneta Mok	613
Author Index Subject Index		643 666

- 3.1 Age-related hearing loss not caused by disease, noise or substance exposure, as described in ISO 7029 (2012) for 40, 60 and 80 years of age. Data are the means from the male and female values: thick line is the median; boxes are the 25th and the 75th percentiles; and, whiskers are the 10th and the 90th percentiles. 54
- 3.2 Descriptive model of an average postlingually deafened CI candidate showing auditory performance as a function of hearing ability over the entire patient journey. The duration of the decline of moderate hearing loss (mHL) and severe/profound hearing loss (s/p HL) is assumed to be 20 and 10 years, respectively. 59
- 6.1 Concentric circles of influence that impact quality of life. *113*
- 8.1 Data from 4,867 parent reports on their (US) children's performance on the Words and Sentences form of the MBCDI. 155
- 8.2 Language Development Scale scores by family background for 132 UK children at 42 months. 156
- 14.1 The Wernicke-Lichtheim model. 290
- 14.2 The cognitive neuropsychological information processing model. 291
- 19.1 Trends in recovery from stuttering. Note the rapid decrease in stuttering for the "recovered group" (\bullet), while a slower decrease is noted for the "persistent group" (\bullet). The control group shows little change (\triangle). 427
- 19.2 The demands and capacities model—whenever demand exceeds capacity, stuttering can occur. 431
- 21.1 Main categories of cleft lip and/or palate. 469
- 21.2 Consonant errors typical of speech in children born with cleft palate (cleft speech characteristics). Palate in rest position for anterior and posterior CSCs. 473
- 22.1 The double sigmoid curve model illustrates the fine balance between tumor control and long-term radiation side-effects. As the radiation dose increases over time, the cells in the radiated tissue start dying. This process can be expressed as a sigmoid function. The tumor cells are more vulnerable to the radiation. However, the surrounding healthy tissue is also stressed by the radiation. The double sigmoid

	curve model allows the radiation oncologist to determine a
	theoretical cutoff point at which the tumor is largely controlled
	but the side-effects are still tolerable for the patient. 499
22.2	Permanent tracheostoma following total laryngectomy. 502
22.2	Tracheostoma cover. 503
22.3	Heat and moisture exchanger ("artificial nose"). 504
22.5	Transcervical electrolarynx. 505
22.6	Sound production with a transcervical electrolarynx. 506
22.7	Position of the transcervical electrolarynx on the neck. 507
22.8	An oral electrolarynx. The metal box contains the batteries and the
22.0	controls for the external oscillator. A tube is used to transmit the
	sound from the oscillator into the oral cavity. 507
22.9	Sound production with an oral electrolarynx. 508
22.10	A laryngectomee using an oral electrolarynx. 508
22.11	Production of esophageal speech. (a) Air is injected into the upper
22.11	esophagus by building up pressure in the oral cavity. (b) As the air is
	ejected from the upper esophagus, it vibrates the upper esophageal
	sphincter and generates sound. 510
22.12	
22.13	Tracheoesophageal voice prostheses. 513
22.14	A large lateral lingual carcinoma. 516
22.15	Comparison of two patients with lateral lingual resections of
	similar sizes. (a) Reconstruction using a local closure approach.
	(b) Reconstruction using a radial forearm free-flap. 517
22.16	· ·
22.17	
22.18	Patient with an extensive facial resection, including exenteration of
	the right eve 521

the right eye. 521